

Add Domain and User to MXRouting


Aug 2024

Introduction

This is a quick overview on how to add a Domain and User to MXRouting, while this is pretty simple, we will be able to get the information we need for creating some mail records on our Domain host, which is very important.

Add Domain

Login to MXRouting [MXRouting](#) and go to [Domain Setup](#).



Click [Add New](#).

Domain:

Bandwidth: MB ☒ Same as Main account

Disk Usage: MB ☒ Same as Main account


Options: ☒ Secure SSL ☐ CGI Access ☒ PHP Access

Enter the new Domain Name and click [Create](#).

Add User

Now that we have created our Domain, we can add a user to it.

In MXRouting, expand the [E-Mail Manager](#) menu and select [E-Mail Accounts](#).



Ensure that in the Top Right of the screen you have the correct **Domain** selected (the one you just added). Then select **Create Account**. There will already be a default user here called ukgreenn that you can ignore.

Create Mail Account

Username

he

@therlowe.uk

Password

E-mail Quota (MB)

0

☒ Max

Daily Send Limit

7200

☐ Max

CREATE ACCOUNT

Click **Create Account**.

A confirmation box will appear to show that you have created a user and to confirm that users details.

Account created

Your account he@therlowe.uk has been setup. In your e-mail program, use:

Username:

he@therlowe.uk

Password:

POP/IMAP Server:

pixel.mxrouting.net

SMTP Server:

pixel.mxrouting.net

CLOSE

This page also confirms your **POP/IMAP** and **SMTP** server addresses.

You can now close this page.

Find your DKIM Key

From the MXRouting web page, expand **Account Manager** and select **DKIM Keys**.

The screenshot shows the DirectAdmin web control panel. On the left, the 'Account Manager' menu is expanded, and 'Domain Setup' is selected. The main area is 'DNS Management' for the domain 'therowe.uk'. A table lists DNS records. The record for 'x._domainkey' is highlighted, showing a TTL of 3600, Type TXT, and a long alphanumeric value.

Name	TTL	Type	Value
therowe.uk.	NS	ns1.worldstream.nl	
therowe.uk.	NS	ns2.worldstream.nl	
therowe.uk.	3600	TXT	"v=spf1 include:mxroute.com ~all"
x._domainkey	3600	TXT	"v=DKIM1; k=rsa; p=MIBjA4BgqpkG9w0BAQFAAOCQAQAMIBGpKCAQEAherykde9TmxkZ4hG48MkY21wdfvQMTg5fkg4Tm7be0tpdHystBfo4Q03Sd48cd8HQMK4hdswLWPa5g43PFw8"
ftp	3600	AAAA	2a01:4f8:242:17cd::0:2
mail	3600	AAAA	2a01:4f8:242:17cd::0:2
pop	3600	AAAA	2a01:4f8:242:17cd::0:2
smtp	3600	AAAA	2a01:4f8:242:17cd::0:2
therowe.uk.	3600	AAAA	2a01:4f8:242:17cd::0:2
www	3600	AAAA	2a01:4f8:242:17cd::0:2

Here you can see your DKIM record. The DKIM record consists of 4 parts:

1. The Name - x._domainkey
2. The TTL - 3600
3. The Type - TXT
4. The Value - This is the really long string you can see.

All of this information will be entered as a TXT Record in your domain provider (Porkbun).

Find your SPF Record

On the same page that you just saw your DKIM Key, you can also see your SPF Record.

This screenshot is identical to the one above, showing the DNS Management interface for 'therowe.uk'. The 'x._domainkey' record is highlighted, showing its TTL, Type, and Value.

Name	TTL	Type	Value
therowe.uk.	NS	ns1.worldstream.nl	
therowe.uk.	NS	ns2.worldstream.nl	
therowe.uk.	3600	TXT	"v=spf1 include:mxroute.com ~all"
x._domainkey	3600	TXT	"v=DKIM1; k=rsa; p=MIBjA4BgqpkG9w0BAQFAAOCQAQAMIBGpKCAQEAherykde9TmxkZ4hG48MkY21wdfvQMTg5fkg4Tm7be0tpdHystBfo4Q03Sd48cd8HQMK4hdswLWPa5g43PFw8"
ftp	3600	AAAA	2a01:4f8:242:17cd::0:2
mail	3600	AAAA	2a01:4f8:242:17cd::0:2
pop	3600	AAAA	2a01:4f8:242:17cd::0:2
smtp	3600	AAAA	2a01:4f8:242:17cd::0:2
therowe.uk.	3600	AAAA	2a01:4f8:242:17cd::0:2
www	3600	AAAA	2a01:4f8:242:17cd::0:2

Here you can see your SPF record. The SPF record consists of 4 parts:

Last
update: 2024/08/04 15:27 add_domain_and_user_to_mxrouting https://wiki.alanwalker.uk/doku.php?id=add_domain_and_user_to_mxrouting&rev=1722785271

1. The Name - therlowe.uk (just your domain name)
2. The TTL - 3600
3. The Type - TXT
4. The Value - "v=spf1 include:mxroute.com -all"

All of this information will be entered as a TXT Record in your domain provider (Porkbun).

Find your DMarc Record

This one is not quite as simple, below is a paragraph from MXRouting regarding DMARC.

Sometimes customers will ask us what their DMARC record should be. This question actually arises from a misunderstanding of what DMARC is. The honest, quick answer is that there is no answer. Your DMARC record is a choice that you either make or don't make, and what you set it to is entirely based on your preferences and needs. If you don't know what you want a DMARC record to be, your default should be not to have one. If you do want one, you have no choice but to dive in deeper into what it is because simply offering one to paste in your DNS isn't appropriate.

The simple answer is, the admin for our email server in MXRouting has generated a DMARC record, and all domains and accounts that are associated with our email server use the same DMARC record.

Here are the DMARC Details.

Type	-	TXT
Host	-	_dmarc
Answer	-	v=DMARC1; p=quarantine: rua=mailto;ukgreenn@ronwalker.co.uk

From:
<https://wiki.alanwalker.uk/> - WalkerWiki - wiki.alanwalker.uk

Permanent link:
https://wiki.alanwalker.uk/doku.php?id=add_domain_and_user_to_mxrouting&rev=1722785271

Last update: 2024/08/04 15:27

