

Start a New Script


Aug 2017

As Terraform is a very small file (by todays standards) I generally create a new folder, and put the Terraform.exe executable in to that folder. I then keep Terraform and my script in that folder, creating a new folder containing a copy of Terraform for each script.

This is useful as Terraform creates other files to do with your scripts, and having lots of these in a single folder can be quite frustrating.

For this example, please do the following:

1. Create a new folder
2. Copy the Terraform.exe in to your new folder
3. Create a new file in your preferred text editor and save it as "my_instance.tf"



Paste the following text in to your "my_instance.tf" file and save it.

```
<sxh> provider "aws" {
```

```
    access_key = "XXXXXXXXXXXXXXXXXXXX"
    secret_key  = "XXXXXXXXXXXXXXXXXXXX"
    region     = "ap-southeast-1"
```

```
}
```

```
resource "aws_instance" "example" {
```

```
    ami           = "ami-a59b49c6"
    instance_type = "t2.micro"
    key_name      = "mykey"
    security_groups = ["sample-sg"]
    tags {
        Name = "terraform-instance"
    }
}
```

```
</sxh>
```

From:

<https://wiki.alanwalker.uk/> - WalkerWiki - wiki.alanwalker.uk

Permanent link:

https://wiki.alanwalker.uk/doku.php?id=start_a_new_script&rev=1501874460

Last update: **2023/03/09 22:35**

